## 2013 WATER QUALITY REPORT FOR CITY OF IMLAY CITY

This report covers the drinking water quality for the City of Imlay City, for the calendar year 2013. This information is a snapshot of the quality of water we provided to you in 2013. Included are the details about where your water comes from, what it contains, and how it compares to Environmental Protection Agency (EPA) and state standards.

Imlay City purchases its water from the Detroit Water and Sewerage Department. Detroit Water and Sewerage Department has a water treatment plant north of Port Huron from which we get our water via a 72" transmission line that runs from Port Huron to Flint. The source for this treatment is Lake Huron.

# Mandatory language regarding contaminants reasonably expected to be found in drinking water. (§141.153(h)(l)(i) through (iv)).

"Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at (800-426-4791).

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.

Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.

Organic chemical contaminants, including synthetic and volatile organics, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff and septic systems.

Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations, which limit the amount of certain contaminants in water provided by public water systems. The Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water, which must provide the same protection for public health."

#### Warning about the vulnerability of some populations to contaminants in drinking water. (§151.154(a)).

"Some people may be more vulnerable to contaminants in drinking water than is the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791)."

Infants and young children are typically more vulnerable to lead in drinking water than the general population. It is possible that lead levels at your home may be higher than at other homes in the community as a result of materials used in your home's plumbing. If you are concerned about elevated lead levels in your home's water, you may wish to have your water tested and flush your tap for 30 seconds to 2 minutes before using tap water. Additional information is available from the Safe Drinking Water Hotline (800-426-4791).

New LCR CCR requirements covering the year 2009 water supplies must include information about lead, even if lead is not detected: Replaces old language (see CCR letter from MDEQ 2008). Lead and Copper language required 40 CFR 141.154

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The City of Imlay City is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

## Required language source water protection <u>Lake Huron intake</u>; for communities receiving water from the Lake Huron Plant:

Your source water comes from the lower Lake Huron watershed. The watershed includes numerous short, seasonal streams that drain to Lake Huron. The Michigan Department of Environmental Quality in partnership with the U.S. Geological Survey, the Detroit Water and Sewerage Department, and the Michigan Public Health Institute performed a source water assessment in 2004 to determine the susceptibility of potential contamination. The susceptibility rating is a seven-tiered scale ranging from "very low" to "very high" based primarily on geologic sensitivity, water chemistry, and contaminant sources. The Lake Huron source water intake is categorized as having a moderately low susceptibility to potential contaminant sources. The Lake Huron water treatment plant has historically provided satisfactory treatment of this source water to meet drinking water standards. This report and notice will not be mailed directly to each customer but if you would like to know more information about this report or a complete copy of this report please, contact your Water Department (810) 724-8712 Ed Priehs.

#### IMPORTANT INFORMATION ABOUT YOUR DRINKING WATER

### Monitoring Requirements Not Met for Imlay City

We are required to monitor your drinking water for specific contaminants on a regular basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. During August 2013, we did not monitor for Disinfection Byproducts (DBP's) and, therefore, cannot be sure of the quality of our drinking water during that time.

What should I do? There is nothing you need to do at this time. This is not an emergency. You do not need to boil water or use an alternative source of water at this time.

The table below lists the contaminants we did not properly test for during August 2013, how often we are supposed to sample for these contaminants and how many samples we are supposed to take, when samples should have been taken, and the date additional sampling will be conducted.

| Contaminant | Required sampling frequency | Number of samples taken | When samples<br>should have been<br>taken | Date additional<br>samples will be<br>taken |
|-------------|-----------------------------|-------------------------|---|---|
| TTHM        | 1 sample per year           | 0                       | August 2013                               | August 2014                                 |
| HAA5        | 1 sample per year           | 0                       | August 2013                               | August 2014                                 |

What happened? What is being done? Samples were collected on September 17, 2013 and all results were within acceptable limits. However, because the samples were collected outside the required August monitoring period, these results do not count for compliance. Compliance sampling will be conducted as required during August 2014.

For more information, please contact Mr. Ed Priehs at 810-724-8712.

Please share this information with all the other people who drink this water, especially those who may not have received this notice directly (for example, people in apartments, nursing homes, schools, and businesses). You can do this by posting this notice in a public place or distributing copies by hand or mail.

This notice is being sent to you by the City of Imlay City.

TTHM, also known as total trihalomethanes, are tested by collecting one sample and testing that sample for chloroform, bromodichloromethane, dibromochloromethane, and bromoform.

HAA5, also known as haloacetic acids, are tested by collecting one sample and testing that sample for monochloroaetic acid, dichloroacetic acid, trichloroacetic acid, monobromoacetic acid, and dibromoacetic acid. CERTIFICATION:

WSSN: 03340

I certify that this water supply has fully complied with the public notification regulation in the Michigan Safe Drinking Water Act, 1976 PA 399, as amended, and the administrative rules.

|            | Edwin 2 Shiel II Title: |                    |                   | البند بمست م |
|------------|-------------------------|--------------------|-------------------|--------------|
| Signature: | Title:                  | DPW Superintendent | Date Distributed: | 5-29-14      |

Lake Huron Water Treatment Plant 2013 Regulated Detected Contaminants Tables

|   |                                  |           | o i togai              | acca pece               | cuca com                     | laiiiiiaiils          | Ianics    |   |
|---|----------------------------------|-----------|------------------------|-------------------------|------------------------------|-----------------------|-----------|---|
| Regulated<br>Contaminant                | Test Date                        | Units     | Health<br>Goal<br>MCLG | Allowed<br>Level<br>MCL | Highest<br>Level<br>Detected | Range of Detection    | Violation | Major Sources in Drinking<br>Water  |
| Inorganic Chemicals -                   | <ul> <li>Monitoring a</li> </ul> | t Plant F | inished V              | Vater Tap               |                              |                       |           |   |
| Fluoride                                | 05/13/2013                       | ppm       | 4                      | 4                       | 0.55                         | n/a                   | no        | Erosion of natural deposits; Water additive, which promotes strong teeth; Discharge from fertilizer and aluminum factories. |
| Nitrate                                 | 05/13/2013                       | ppm       | 10                     | 10                      | 0.32                         | n/a                   | no        | Runoff from fertilizer use; Leaching<br>from septic tanks, sewage; Erosion<br>of natural deposits.                          |
| Barium                                  | 6/9/2008                         | ppm       | 2                      | 2                       | 0.01                         | n/a                   | no        | Discharge of drilling wastes;<br>Discharge from metal refineries;<br>Erosion of natural deposits                            |
| <b>Disinfection By-Produ</b>            | cts - Monitor                    | ing in Di | stribution             | System                  |                              |                       |           |   |
| Contaminant                             | Test Date                        | Units     | Health<br>Goal<br>MCLG | Allowed<br>Level<br>MCL | Highest<br>LRAA              | Range of Detection    | Violation | Major Sources in Drinking<br>Water  |
| Total Trihalomethanes<br>(TTHM)         | 2013                             | ppb       | n/a                    | 80                      | n/a                          | n/a                   | yes       | By-product of drinking water chlorination   |
| Haloacetic Acids<br>(HAA5)              | 2013                             | ppb       | n/a                    | 60                      | n/a                          | n/a                   | yes       | By-product of drinking water disinfection   |
| Disinfectant Residuals                  | Monitoring in                    | n Distrib | ution Sys              | tem                     |                              |                       |           |   |
| Contaminant                             | Test Date                        | Units     | Health<br>Goal         | Allowed<br>Level        | Highest<br>RAA               | Range of<br>Detection | Violation | Major Sources in Drinking<br>Water  |
| Disinfectant<br>Total Chlorine Residual | Jan-Dec<br>2013                  | ppm       | MRDGL<br>4             | MRDL<br>4               | 0.81                         | 0.65-0.93             | no        | Water additive used to control microbes   |

| 2013 Turbidity - Monitored every 4                | hours at Plant Finished Water Tap   |                    |                                    |
|---|---|--------------------|------------------------------------|
| Highest Single Measurement<br>Cannot exceed 1 NTU | Lowest Monthly % of Samples Meeting Turbidity<br>Limit of 0.3 NTU (minimum 95%) | Violation          | Major Sources in Drinking<br>Water |
| 0.26 NTU  | no  | Soil Runoff        |                                    |
| Turbidity is a measure of the cloudiness o        | f water. We monitor it because it is a good indicator of the effecti            | veness of our fill | tration system.                    |

| 2013 Microbiologic                   | al Contami | nants – Monthly Monitoring in Distrib   | ution System               |           |                                       |
|--------------------------------------|------------|---|----------------------------|-----------|---------------------------------------|
| Regulated<br>Contaminant             | MCLG       | MCL   | Highest Number<br>Detected | Violation | Major Sources in Drinking Water       |
| Total Coliform<br>Bacteria           | 0          | Presence of Coliform bacteria > 5% of monthly samples   | 0                          | no        | Naturally present in the environment. |
| E.coli or Fecal<br>Coliform Bacteria | 0          | A routine sample and a repeat sample are total coliform positive, and one is also fecal or <i>E. coli</i> positive. | 0                          | no        | Human waste and animal fecal waste.   |

| 2011 Lead and Cop        | per Moni     | toring at | Custome                | rs' Tap               |  |                                 |           |  |
|--------------------------|--------------|-----------|------------------------|-----------------------|--|---------------------------------|-----------|--|
| Regulated<br>Contaminant | Test<br>Date | Units     | Health<br>Goal<br>MCLG | Action<br>Level<br>AL | 90 <sup>th</sup><br>Percentile<br>Value* | Number of<br>Samples<br>Over AL | Violation | Major Sources in Drinking Water  |
| Lead                     | 2011         | ppb       | 0                      | 15                    | 0 ppb                                    | 0                               | no        | Corrosion of household plumbing system;<br>Erosion of natural deposits.                                      |
| Copper                   | 2011         | ppm       | 1.3                    | 1.3                   | 0.070                                    | 0                               | no        | Corrosion of household plumbing system;<br>Erosion of natural deposits; Leaching from<br>wood preservatives. |

\*The 90th percentile value means 90 percent of the homes tested have lead and copper levels below the given 90th percentile value. If the 90th percentile value is above the AL additional requirements must be met.

| Regulated<br>Contaminant      | Treatment Technique  | Typical Source of<br>Contaminant |
|-------------------------------|--|----------------------------------|
| Total Organic Carbon<br>(ppm) | The Total Organic Carbon (TOC) removal ratio is calculated as the ratio between the actual TOC removal and the TOC removal requirements. The TOC was measured each month and because the level was low, there is no requirement for TOC removal. | Erosion of natural deposits      |

### 2013 Special Monitoring

| Contaminant  | MCLG | MCL | Level Detected | Source of Contamination     |
|--------------|------|-----|----------------|-----------------------------|
| Sodium (ppm) | n/a  | n/a | 4.52           | Erosion of natural deposits |

|        | 2013 Key to the Detected Contaminant Tables |  |  |  |  |  |  |
|--------|---|--|--|--|--|--|--|
| Symbol | Abbreviation for                            | Definition/Explanation   |  |  |  |  |  |
| >      | Greater than                                |  |  |  |  |  |  |
| AL     | Action Level                                | The concentration of a contaminant, which, if exceeded, triggers treatment or other requirements which a water system must follow.   |  |  |  |  |  |
| HAA5   | Haloacetic Acids                            | HAA5 is the total of bromoacetic, chloroacetic, dibromoacetic, dichoroacetic, and trichloroacetic acids. Compliance is based on the total.   |  |  |  |  |  |
| LRAA   | Locational Running Annual Average           |  |  |  |  |  |  |
| MCL    | Maximum Contaminant Level                   | The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.                                      |  |  |  |  |  |
| MCLG   | Maximum Contaminant Level Goal              | The level of contaminant in drinking water below which there is no known or expected risk to health.   |  |  |  |  |  |
| MRDL   | Maximum Residual Disinfectant Level         | The highest level of disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.                            |  |  |  |  |  |
| MRDLG  | Maximum Residual Disinfectant Level Goal    | The level of a drinking water disinfectant below which there is no known or expected risk to health.  MRLDG's do not reflect the benefits of the use of disinfectants to control microbial contaminants. |  |  |  |  |  |
| n/a    | not applicable                              |  |  |  |  |  |  |
| ND     | Not Detected                                |  |  |  |  |  |  |
| NTU    | Nephelometric Turbidity Units               | Measures the cloudiness of water.  |  |  |  |  |  |
| ppb    | Parts Per Billion (one in one billion)      | The ppb is equivalent to micrograms per liter.  A microgram = 1/1000 milligram.  |  |  |  |  |  |
| ppm    | Parts Per Million (one in one million)      | The ppm is equivalent to milligrams per liter.  A milligram = 1/1000 gram.   |  |  |  |  |  |
| RAA    | Running Annual Average                      |  |  |  |  |  |  |
| TT     | Treatment Technique                         | A required process intended to reduce the level of a contaminant in drinking water.  |  |  |  |  |  |
| TTHM   | Total Trihalomethanes                       | Total Trihalomethanes is the sum of chloroform, bromodichloromethane, dibromoochloromethane and bromoform. Compliance is based on total.   |  |  |  |  |  |